

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S181	7	(divid\$3 with power with data) and (power with run with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:35
S180	1	(error with power with data) and (divid\$3 with power with data) and (power with run with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:35
S179	3	(error with power with data) and (divid\$3 with power with data with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:34
S177	9	(error with power with data) and (updat\$3 with power with data) and (divid\$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:33
S178	0	(error with power with data) and (updat\$3 with power with data) and (divid\$3 near2 power near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 01:29
S169	1	((integrat\$3 with drain near2 rate) same battery) and (period with time with measur\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:39
S170	8	(integrat\$3 with drain with rate with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:32
S168	2	(drain near2 rate) same battery same (period with time with measur\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:27

EAST Search History

S1	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:25
S16 7	6	(data with retriev\$3) and (retriev\$3 near2 power near2 data) and (operating with system) and battery and consumption and (application with power with (run running))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:23
S16 6	1	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 near2 power near2 data) and (operating with system) and battery and consumption and (application with power with (run running))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:23
S16 5	3	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 with power with data) and (operating with system) and battery and consumption and (data with processor) and (application with power with (run running))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:21
S16 4	7	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 with power with data) and (operating with system) and battery and consumption and (data with processor) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:19
S16 3	7	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 with power with data) and (operating with system) and battery and (power with consumption) and (data with processor) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:18
S16 2	1	(power with evaluat\$3) and (data with retriev\$3) and (retriev\$3 with power with data) and (operating with system) and battery and (net with power with consumption) and (data with processor) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:15

EAST Search History

S12	0	(power with evaluat\$3) and retrieve and (drain with rate) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 21:12
S16 1	4	(manag\$6 with power with system) and ((system with error) same (updat\$2 with frequency) same (power with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:08
S16 0	4	(manag\$6 with power with system) and ((system with error) same (updat\$2 with frequency with power with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:08
S15 9	4	(manag\$6 with power with data) and ((system with error) same (updat\$2 with frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:05
S14 6	3	(manag\$6 with power) and (systematic with error) and (updat\$2 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:02
S15 8	2	S152 and (amount with power with used) and (software application) and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:49
S15 4	44	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (software application) and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:48
S15 7	5	S155 and (system with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:47

EAST Search History

S156	1	S155 and (evaluat\$3 with power) and (system with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S155	20	S154 and ((run\$4 execut\$4) with (application software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S129	3	S128 and (evaluat\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S153	5	S152 and (updat\$3 with frequency with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:44
S152	151	(manag\$6 with power with data) and (system with error) and (application with power with data) and (power with suppl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:44
S151	5	(manag\$6 with power with data) and (systematic with error) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:43
S150	5	(manag\$6 with power with data) and (systematic with error) and (power with consumption) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:25
S149	6	(manag\$6 with power) and (systematic with error) and (power with consumption) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:24

EAST Search History

S14 8	3	(manag\$6 with power) and (systematic with error) and (updat\$3 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:22
S14 7	1	(power with consumption) and ((systematic with error) same (updat\$2 with frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:10
S14 5	1	(manag\$6 with power) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:08
S14 4	1	(manag\$6 with power with data) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:07
S14 3	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:07
S14 2	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (application software) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:06
S14 1	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and ((application software) with power) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:06
S14 0	2	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and (updat\$2 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:04

EAST Search History

S13 9	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granular\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:03
S13 6	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granularity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:01
S13 8	1	S137 and (evaluat\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:59
S13 7	10	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and (application software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:59
S13 5	1	(manag\$6 with power with data) and (power with data with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granularity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:58
S11 3	32	(manag\$6 with power with data) and (power with data with suppl\$4) and (power with evaluat\$4) and (computer CPU (operating adj system) microcomputer microprocessor) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:57
S13 4	3	S116 and (update with power with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47
S13 3	1	S116 and (update with frequency with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47

EAST Search History

S13 1	1	S116 and (update with frequency with power with data) and (power with data with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47
S13 2	1	S116 and (update with power with data) and (power with data with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:46
S13 0	1	S116 and (update with frequency with power with data) and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:45
S12 8	20	S127 and ((run\$4 execut\$4) with (application software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:34
S12 7	44	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (software application) and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:32
S12 5	36	(manag\$6 with power with data) and (determin\$3 with amount with power with used) and (time with period) and (software application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:31
S12 6	3	S125 and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:27
S11 6	46	(manag\$6 with power with data) and (determin\$3 with amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:26

EAST Search History

S12 4	1	S121 and (evaluat\$4 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:24
S12 2	0	S121 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:23
S12 1	4	S117 and (power with manag\$4 with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:23
S12 3	1	S117 and (power with manag\$4 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:21
S12 0	2	S117 and (power with management with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:15
S11 9	4	S117 and (application with manag\$6 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:12
S11 8	2	S117 and (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:10
S10 9	37	(power with evaluat\$3) and (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:09

EAST Search History

S11 7	25	S116 and (power with data with suppl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:08
S93	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:07
S11 5	3	S114 and ((amount calculat\$3) with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:18
S11 4	3	S113 and ((run\$4 execut\$4) with application with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:17
S11 2	8	S110 and (power with suppl\$4) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:02
S11 1	7	S110 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:01
S10 6	2	(application with manag\$6 with power with suppl\$4) and (power with (run\$4 execut\$4) with application) and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:58
S11 0	23	S109 and (application with evaluat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:57

EAST Search History

S10 8	4	(power with evaluat\$3) same (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:56
S10 1	4	(application same (amount with power with used)) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:53
S10 7	2	S106 and (amount with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:20
S10 5	0	(application with manag\$6 with power with suppl\$4) and (amount with power with (run\$4 execut\$4) with application) and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:19
S10 4	0	(application with manag\$6 with power with suppl\$4) and (amount with power with (run\$4 execut\$4) with application) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:19
S10 3	0	(application with manag\$6 with power with suppl\$4) and (amount with power with (run\$4 execut\$3) with application) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:18
S10 2	2	(application with manag\$6 with power with suppl\$4) and (amount with power with used) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:17
S10 0	1	(application with amount with power with used) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:14

EAST Search History

S99	1	S98 and (amount near1 power near1 used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:13
S98	3	S97 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S97	3	S96 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S96	5	S95 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S95	5	S94 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S94	79	S93 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S89	5	S88 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S92	3	S91 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:06

EAST Search History

S91	3	S90 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:06
S90	5	S89 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S88	79	S87 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S87	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S86	5	S85 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S85	5	S84 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:08
S84	79	S83 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:06
S83	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:05

EAST Search History

S82	3	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery and (power near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:02
S81	1	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery and (data with retriever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:50
S80	3	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:48
S71	10	(measur\$6 with power with data) and (update with frequency with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:39
S78	12	(manag\$6 with power with data) and (computer laptop CPU) and (power adj data) and (updat\$3 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:38
S79	10	S78 and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 09:11
S74	33	(manag\$6 with power with data) and (computer laptop CPU) and (power adj data) and (power near2 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 09:10
S77	5	S74 and (application with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:15

EAST Search History

S76	0	S74 and ((run runing) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:14
S75	0	S74 and (power with (run runing) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 08:14
S73	1	S71 and (update with frequency, with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:01
S42	10	(power with data) and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 18:00
S70	11	(measur\$6 with power with data) and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:59
S69	0	(measur\$6 with power with data) and (systematic near1 error near2 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:41
S68	9	(manag\$6 with power with data) and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:41
S67	8	"713"/\$.ccls. and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:36

EAST Search History

S66	8	S65 and (collect\$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:36
S65	54	(evaluat\$3 near2 power) and (systematic near1 error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:32
S64	2	(evaluat\$3 with power) same (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:31
S51	18	(power with data) same (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:31
S63	2	(power near2 error) and (amount with power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:26
S62	4	S61 and (power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:25
S61	179	(error adj2 power) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24
S60	10	S59 and (power with used with (run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24

EAST Search History

S59	299	(power near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:24
S58	299	(power near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:17
S57	8	(power near2 data near2 error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:03
S55	256	(power with data with error) and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 17:01
S56	9	S55 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:57
S54	14	S51 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:46
S52	1	S51 and ((run running) with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:46
S53	1	S51 and (computer with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:45

EAST Search History

S35	0	S28 and (systematic with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:43
S50	8	S49 and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:33
S49	15	S48 and (collect\$3 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:32
S48	617	702/65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:32
S27	1	S25 and (time with period with operating with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 16:31
S47	12	(amount with power with used) same ((run running) with application) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 14:50
S22	3	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 14:48
S46	0	(power with data) same (update near5 frequency near5 sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:16

EAST Search History

S45	1	(power with data) same (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:16
S44	2	S42 and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S43	0	S42 and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S41	0	(manag\$6 with power with data) and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S37	0	(manag\$6 with power with data) and (collect\$4 with power with data) and (net with power with consumption) and (power with data with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:14
S39	0	S38 and (update with frequency with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:13
S40	0	S38 and (update with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:12
S38	34	(manag\$6 with power with data) and (collect\$4 with power with data) and (power with data with sufficient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 19:12

EAST Search History

S36	0	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption) and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:28
S23	804	(power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:28
S34	0	S28 and (systematic with error with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:27
S33	0	S28 and (subtract\$3 with power with amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:26
S32	0	S28 and (subtract with power with amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:25
S29	0	S28 and (subtract with power with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:25
S31	1	S28 and (drain with rate with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:23
S30	0	S28 and (subtract\$3 with power with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:22

EAST Search History

S28	103	(power with measur\$6 with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:21
S25	9	S24 and (retriev\$3 with power with data) and (operating with system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 18:21
S24	103	(power with measur\$6 with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:54
S4	2	(power with evaluat\$3) and (retriev\$3 with power with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:54
S21	0	(power with measur\$6) and (power with (computer CPU processor laptop)) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:51
S20	0	(power with measur\$6) and (power with computer) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:51
S19	0	(power with measur\$6 with computer) and (amount with power with used) and (time with period) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:50
S18	2	S16 and drain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:36

EAST Search History

S17	0	S16 and (drain with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:36
S16	2	S15 and (capacity with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:35
S15	2	S14 and baseline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:34
S14	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (baseline with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:33
S2	2	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (baseline with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:33
S13	0	(power with evaluat\$3) and (drain with rate) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:31
S10	0	S8 and (drain with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30
S9	0	S8 and (drain with rate with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30

EAST Search History

S8	5	(power with evaluat\$3) and (retriev\$3 with data) and (operating with system) and (net with power with consumption) and (power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:30
S5	5	(power with evaluat\$3) and (retriev\$3 with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 17:28
S6	0	10/789188	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 14:17
S3	0	(power with evaluat\$3) and (retrieve with power with data) and (operating with system) and (net with power with consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 12:36